

Add: 9/F, Building 7, Yinong Industrial Park, No. 3, Xinhua Avenue, Zhongkai High tech Zone, Huizhou, Guangdong

Contact: Sandy

Email: xwstsales1@aliyun.com

Tel:+86752 3329608

Mobile: +86-15815378032


Alibaba TM: cn1529132169jdkj

Wechat: xwst2021


Custom multi-color shell (patented product)



75 Golden 75 Black 75 Silver 75 Blue



101 Golden 101 Black 101 Silver 101 Blue



Advantages of new shell

The power supply parameters can still be seen after the power supply installation screws are fixed, which is more humanized!

Note: The new shell has been patented!!!

All the Aluminum L shell converter can be make by the 75 color shell

All the Aluminum XL shell converter can be make by the 101 color shell

75 color size

75*73*27mm


101 color size

101*78*36mm

Model	Input Range	Output Voltage	Photo	Output Current	Shell	Size
DC-DC Boost & Buck						
9-36V To 12V	9-36V	12V (1-30A)		1A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 28A 30A	Aluminum XL	100*80*39MM,550g/pc
9-36V To 13.8V	9-36V	13.8V (1-30A)		1A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 28A 30A	Aluminum XL	100*80*39MM,550g/pc
9-36V To 19V	9-36V	19V (1-30A)		1A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 30A	Aluminum XL	100*80*39MM,550g/pc
9-36V To 24V	9-36V	24V (1-30A)		1A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 30A	Aluminum XL	100*80*39MM,550g/pc
12V To 12V	9-23V	12V (1-30A)		1A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 6A 8A 10A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 28A 30A	Aluminum XL	100*80*39MM,550g/pc
24V To 24V	18-36V	24V (1-30A)		1A	ABS Plastic L	58*40.5*22MM,97g/pc
				2A 3A 5A 6A 8A 10A 12A	Aluminum L	74*74*32MM,260g/pc
				15A 20A 25A 28A 30A	Aluminum XL	100*80*39MM,550g/pc

DC-DC Battery Charger (Constant Current)

9-35V To 12.6V/14.5V (12V Battery)	9-35V	12.6V/14.5V (5-25A)		5A 8A	Aluminum L	74*74*32MM,260g/pc
				12A 15A 20A 22A 25A	Aluminum XL	100*80*39MM,550g/pc
9-35V To 13.8V (12V Battery)	9-35V	13.8V(5-25A)		5A 8A	Aluminum L	74*74*32MM,260g/pc
				12A 15A 20A 22A 25A	Aluminum XL	100*80*39MM,550g/pc
42-135V To 12.6V/14V/14.5 V (12V Battery)	42-135V (NEW)	12.6V/14V/14. 5V (6A)		6A	Aluminum SL	157*87*47MM, 420g/pcs
				10A	Aluminum ML	157*87*47MM, 420g/pcs
80-250V To 12.6V/14V/14.5 V (12V Battery)	80-250V (NEW)	12.6V/14V/14. 5V (10A)		10A	Aluminum ML	157*87*47MM, 420g/pcs
42-90V To 12.6V/14V/14.5 V (12V Battery)	42-90V (NEW)	12.6V/14V/14. 5V (15-25A)		15A 20A	Aluminum LB	187*146*66MM, 2.2KG/PCS
				25A	Aluminum LB	187*155*67MM,2.24KG/PCS
9-35V To 29.2V/29.4V (24V Battery)	9-35V	29.2V/29.4V (2-13A)		2A 4A	Aluminum L	74*74*32MM,260g/pc
				6A 8A 10A 13A	Aluminum XL	100*80*39MM,550g/pc
9-22V To 25.2V/28V/29.2 V(24V Battery)	9-22V	25.2V/28V/29. 2V		2A 3A	Aluminum L	74*74*32MM,260g/pc
18-35V To 29.2V/29.4V (24V Battery)	18-35V	29.2V/29.4V (5-25A)		5A 8A	Aluminum L	74*74*32MM,260g/pc
				12A 15A 20A 22A 25A	Aluminum XL	100*80*39MM,550g/pc
9-30V To 36V (36V Battery)	9-30V/ 20- 30V	0-43V		1A 2A 3A	Aluminum L	74*74*32MM,260g/pc
9-40V To 48V (48V Battery)	9-40V/20- 40V	0-54.6V/0- 58.4V		1A 1.5A 2A	Aluminum L	74*74*32MM,260g/pc
Isolated DC-DC Buck						
30~90V to 12V	30~90V	12v 7A		7A	75Silver	74*74*32MM,260g/pc
		12V 10A		10A		
40~120V to 12v	40~120V	12V 8A		8A		
42-90V To 12V	42-90V	12V (2-42A)		2A 3A 4A	Aluminum SL	126*53*36MM,200g/pc
				8A 10A	Aluminum ML	120*86*45MM,455g/pc
40-135V To 12V	40-135V	12V (2-10A)		15A 20A	Aluminum MB	120*128*66MM,1.05kg/pc
				25A	Aluminum LB	160*128*66MM,1.4kg/pc
30~75V TO 24V	30~75V	24V 5A		5A	75Silver	74*74*32MM,260g/pc
30~90V TO 24V	30~90V	24V 6A		6A		
40~120V TO 24V	40~120V	24V 5A		5A		
42-90V To 24V	42-90V	24V (1-24A)		1A 1.5A 2.5A	Aluminum SL	126*53*36MM,200g/pc
				4A 5A	Aluminum ML	120*86*45MM,455g/pc
40-135V To 24V	40-135V	24V (1-5A)		8A 10A	Aluminum MB	120*128*66MM,1.05kg/pc
				12.5A	Aluminum LB	160*128*66MM,1.4kg/pc
				16A 21A	Aluminum XLB	200*128*66MM,1.76kg
DC-DC Boost						






3-11V To 12V	3-11V	12V(1-1.5A)		1A 1.5A	ABS Plastic M	46*32*18MM,50g/pc
5-11V To 12V	5-11V	12V (1-20A)		1A 2A 4A	ABS Plastic L	58*40.5*22MM,97g/pc
	5A 8A 10A			Aluminum L	74*74*32MM,260g/pc	
	6-11V	15A 20A		Iron	118*87*40MM,370g/pc	
12V To 13.8V	9-13V	13.8V (1-30A)		1A 3A 5A	ABS Plastic L	58*40.5*22MM,97g/pc
				8A 10A 12A 15A 18A	Aluminum L	74*74*32MM,260g/pc
				21A 25A 30A	Aluminum XL	100*80*39MM,550g/pc
				21A 25A	Iron	118*87*40MM,370g/pc
12V To 15V	9-14V	15V (1-30A)		1A 2A 3A 4A	ABS Plastic L	58*40.5*22MM,97g/pc
12V to 19V	9-18V	19V (1-28A)		5A 8A 10A 15A	Aluminum L	74*74*32MM,260g/pc
				20A 25A 28A 30A	Aluminum XL	100*80*39MM,550g/pc
				20A 25A	Iron	118*87*40MM,370g/pc
12V to 24V	9-23V	24V (1-50A)		1A 2A 3A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A 12A 15A	Aluminum L	74*74*32MM,260g/pc
				15A 20A	Aluminum XL	100*80*39MM,550g/pc
				15A 20A	Iron	118*87*40MM,370g/pc
				25A 30A	Aluminum PM	150*127*63MM,1.6kg/pc
				40A	Aluminum PL	220*127*63MM,2.3KG/pc
				50A	Aluminum	300*127*63MM,3.2kg/pc
12V to 27V	9-26V	27V (1-20A)		1A 2A 3A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A 12A	Aluminum L	74*74*32MM,260g/pc
				15A 20A	Aluminum XL	100*80*39MM,550g/pc
12V to 28V	9-27V	28V (1-40A)		1A 2A 3A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A 12A	Aluminum L	74*74*32MM,260g/pc
				15A 20A	Iron	118*87*40MM,370g/pc
				25A 30A	Aluminum PM	150*127*63MM,1.6kg/pc
				40A	Aluminum PL	220*127*63MM,2.3KG/pc
12V to 36V	10-18V	36V (1-30A)		1A 1.5A	ABS Plastic L	58*40.5*22MM,97g/pc
24V to 36V	18-35V	36V (1-20A)		2A 3A 4A 5A 8A	Aluminum L	74*74*32MM,260g/pc
				8A 10A 15A 20A	Iron	118*87*40MM,370g/pc
				8A 10A 15A 20A	Aluminum XL	100*80*39MM,550g/pc
12V 24V to 36V	9-35V	36V (1-15A)		20A	Aluminum PM	150*127*63MM,1.6kg/pc
			30A	Aluminum PL	220*127*63MM,2.3KG/pc	
12V to 48V	10-18V	48V (1-20A)		1A 1.5A	ABS Plastic L	58*40.5*22MM,97g/pc
				2.1A 3A 3.5A 5A	Aluminum L	74*74*32MM,260g/pc
				8A	Aluminum XL	100*80*39MM,550g/pc
				10A 15A	Aluminum PM	150*127*63MM,1.6kg/pc
				20A	Aluminum PL	220*127*63MM,2.3KG/pc

24V to 48V	18-32V	48V (1-40A)		1A 1.5A 2A	ABS Plastic	58*40.5*22MM,97g/pc
				3A 5A 6A	Aluminum L	74*74*32MM,260g/pc
				8A 10A 15A	Aluminum XL	100*80*39MM,550g/pc
				20A 30A	Aluminum PM	150*127*63MM,1.6kg/pc
				40A	Aluminum PL	220*127*63MM,2.3KG/pc
36V to 48V	28-45V	48V (1-20A)		1A 1.5A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				4A	Aluminum L	74*74*32MM,260g/pc
				10A 15A 20A	Aluminum XL	100*80*39MM,550g/pc
12V24V to 60V	10-32V	60V (0.6-5A)		0.6A	ABS Plastic L	58*40.5*22MM,97g/pc
				1A 2A	Aluminum L	74*74*32MM,260g/pc
				3A 5A	Aluminum XL	100*80*39MM,550g/pc
24V to 60V	18-36V	60V (1-10A)		1A 1.5A	ABS Plastic L	58*40.5*22MM,97g/pc
				2A 4A	Aluminum L	74*74*32MM,260g/pc
				7A 10A	Aluminum XL	100*80*39MM,550g/pc
36V to 60V	30-45V	60V (1-15A)		1A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A	Aluminum L	74*74*32MM,260g/pc
				8A 10A 15A	Aluminum XL	100*80*39MM,550g/pc
DC-DC Buck 3.3/3.7/4.2/6/7.5/9V						
12V To 3.3/3.7/4.2/6/7. 5/9V	6-22V, Output is 3V higher than input	3.3/3.7/4.2 /6/7.5/9V (1- 10A)		1A 2A 3A	ABS Plastic S	46*27*14MM,30g/pc
				4A 6A	Aluminum S	44*25*22MM,45g/pc
				10A	ABS Plastic M	46*32*18MM,50g/pc
12V 24V To 3.3/3.7/4.2/6/7. 5/9V	6-40V, Output is 3V higher than input	3.3/3.7/4.5/5V /6/7.5/9V (1- 30A) NEW		1A 2A 3A 5A	Aluminum S	44*25*22MM,45g/pc
				10A	ABS Plastic M	46*32*18MM,50g/pc
				10A 15A 20A 25A 30A	75Silver	75*73*27MM,260g/pc
				40A 40A ACC 50A 50A ACC	101 Silver	101*78*36MM, 510g/pc
				60A 60A ACC 70A 70A ACC	124 Silver	124*104*42MM, 960g/pc
6-72V To 3.3/3.7/4.2/6/7. 5/9V	6-72v	3.3/3.7/4.5/5V /6/7.5/9V (1- 5A)		1A 3A 5A	ABS Plastic L	58*40.5*22MM,97g/pc
12V 24V To 3.3/3.7/4.2/6/7. 5/9V	8-40v	3.3/3.7/4.5/5V /6/7.5/9V (10A)		10A	PCB Board	83*45*18MM,47g/pc






9-58V TO 6V	9-58V	6V(1-3A)		1A 2A 3A	ABS Plastic M	46*32*18MM,50g/pc
12-58V TO 9V	12-58V	9V(1-3A)		1A 2A 3A	ABS Plastic M	46*32*18MM,50g/pc
20-90V to 9V	20-90V	9V (1-25A) NEW		1A 2A 3A 5A 7A 10A 13A 16A 20A 25A	ABS Plastic S ABS Plastic M ABS Plastic L Aluminum L Aluminum XL	46*27*14MM,30g/pc 46*32*18MM,50g/pc 58*40.5*22MM,97g/pc 74*74*32MM,260g/pc 100*80*39MM,550g/pc
DC-DC Buck 5V						
8-72V to 5V	8-72V	5V (1-5A)		1A 1.5A / Reverse Protection 1A 2A 3A / Reverse Protection 1A 3A 4A 5A 6A	ABS Plastic S ABS Plastic M ABS Plastic L	46*27*14MM,30g/pc 46*32*18MM,50g/pc 58*40.5*22MM,97g/pc
12V 24V To 5V	8-40V	5V (1-70A) New		1A 1.5A 1A 2A 3A 5A 1A 2A 3A 5A 8A 10A 10A 15A 20A 25A 30A 40A 40A ACC 50A 50A ACC 60A 60A ACC 70A 70A ACC	ABS Plastic S Aluminum S ABS Plastic M 75Silver 101 Silver 124 Silver	46*27*14MM,35g/pc 44*25*22MM,45g/pc 46*32*18MM,50g/pc 75*73*27MM,260g/pc 101*78*36MM, 510g/pc 124*104*42MM, 960g/pc
36V 48V to 5V	20-60V	5V (1-65A) NEW		1A 1A 2A 3A 5A 6A 10A 15A 20A 30A 33A 40A 40A ACC 55A 55A ACC 65A 65A ACC	ABS Plastic S ABS Plastic M ABS Plastic L Aluminum L Aluminum XL 101 Silver 124 Silver	46*27*14MM,35g/pc 46*32*18MM,50g/pc 58*40.5*22MM,97g/pc 74*74*32MM,260g/pc 100*80*39MM,550g/pc 101*78*36MM, 510g/pc 124*104*42MM, 960g/pc
10-85V to 5V	10-85V	5V (1-6A)		1A 2A 3A / Reverse Protection 2A 3A / Reverse Protection 3A 4A 5A 6A	ABS Plastic S ABS Plastic M ABS Plastic L	46*27*14MM,30g/pc 46*32*18MM,50g/pc 58*40.5*22MM,97g/pc
60V to 5V	8-72V	5V (1-15A)		1A 2A 3A 5A / ACC optional 5A 8A 10A 15A	ABS Plastic L Aluminum XL	58*40.5*22MM,97g/pc 74*74*32MM,260g/pc
12V 24V to 5V	8-40V	5V (10-30A)		10A 15A 20A 25A 30A	PCB Board	83*45*18MM,47g/pc 93*60*18MM,90g/pc
DC-DC Buck 12V						

24V to 12V	15-40V	12V (10-30A)		10A	PCB Board	83*45*18MM,47g/pc	
				15A 20A 25A 30A		93*60*18MM,90g/pc	
24V to 12V	15-40V	12V (1-100A)		1A 2A 3A 4A 5A	Aluminum S	44*25*22MM,45g/pc	
				1A 2A 3A 4A 5A	ABS Plastic M	46*32*18MM,50g/pc	
				8A 10A 12A 15A	Aluminum L	74*74*32MM,260g/pc	
	18-36V				20A 25A 30A	Aluminum L	74*74*32MM,260g/pc
					40A	Aluminum XL	100*80*39MM,550g/pc
	15-40V			New item	50A 60A	Aluminum PM	150*127*63MM,1.6kg/pc
75A 85A 100A					Aluminum PL	220*127*63MM,2.3KG/pc	
40A 40A ACC 50A 50A ACC					101 Silver	101*78*36MM, 510g/pc	
				60A 60A ACC 70A 70A ACC	124 Silver	124*104*42MM, 960g/pc	
				85A 100A	141 Black	141*120*43MM, 1.16kg/pc	
36V 48V to 12V	30-60V	12V (1-100A) New 30-100A		1A 1.5A 2A 3A	ABS Plastic M	46*32*18MM,50g/pc	
				3A 4A 5A	ABS Plastic L	58*40.5*22MM,97g/pc	
				8A 10A 15A 20A 25A	Aluminum L	74*74*32MM,260g/pc	
	15-40V			New item	30A 33A	Aluminum XL	100*80*39MM,550g/pc
					50A 60A	Aluminum PM	150*127*63MM,1.6kg/pc
					30A 40A 40A ACC	101 Silver	101*78*36MM, 510g/pc
				60A 60A ACC 70A 70A ACC	124 Silver	124*104*42MM, 960g/pc	
				85A 100A	141 Black	141*120*43MM, 1.16kg/pc	
8V-58V to 12V	8V-58V	12V (1-3A)		1A 1.5A 2A 3A	ABS Plastic M	46*32*18MM,50g/pc	
15-72V to 12V	15-72V	12V(1-5A)		1A 2A 3A 4A 5A	ABS Plastic L	58*40.5*22MM,97g/pc	
60V to 12V	20-75V	12V (1-28A)		1A 2A 3A 4A 5A / ACC optional	ABS Plastic L	58*40.5*22MM,97g/pc	
				5A 10A 15A	Aluminum L	74*74*32MM,260g/pc	
				20A 25A 28A	Aluminum XL	100*80*39MM,550g/pc	
20-90V to 12V	20-90V	12v(1-25A) NEW		1A	ABS Plastic S	46*27*14MM,30g/pc	
				1.5A 2A	ABS Plastic M	46*32*18MM,50g/pc	
				3A 5A 7A	ABS Plastic L	58*40.5*22MM,97g/pc	
				10A 13A 16A	Aluminum L	74*74*32MM,260g/pc	
				10A 13A 16A	75Silver	75*73*27MM,260g/pc	
				20A 24A	Aluminum XL	100*80*39MM,550g/pc	
				20A 25A	101 Silver	101*78*36MM, 510g/pc	

DC-DC Buck 13.8V 19v

24V to 13.8V	18-36V	13.8V (1-100A) NEW		1A	ABS Plastic S	46*27*14MM,30g/pc
				2A 4A	Aluminum S	44*25*22MM,45g/pc
				8A	ABS Plastic M	46*32*18MM,50g/pc
				10A 15A 20A 25A 30A	Aluminum L	74*74*32MM,260g/pc
				40A	Aluminum XL	100*80*39MM,550g/pc
				40A 40A ACC 50A 50A ACC	101 Silver	101*78*36MM, 510g/pc
				60A 60A ACC 70A 70A ACC	124 Silver	124*104*42MM, 960g/pc
80A 100A	141 Black	141*120*43MM, 1.16kg/pc				
36V 48V to 13.8V	30-60V	13.8V (1-100A) NEW		1A	ABS Plastic S	46*27*14MM,35g/pc
				2A 2.5A	ABS Plastic M	46*32*18MM,50g/pc
				4A 5A 7A	ABS Plastic L	58*40.5*22MM,97g/pc
				10A 15A 20A 25A	Aluminum L	74*74*32MM,260g/pc
				30A 32A	Aluminum XL	100*80*39MM,550g/pc
				40A 40A ACC	101 Silver	101*78*36MM, 510g/pc
				60A 60A ACC 70A 70A ACC	124 Silver	124*104*42MM, 960g/pc
				50A 60A	Aluminum PM	150*127*63MM,2.3KG/pc
100A	141 Black	141*120*43MM, 1.16kg/pc				
24V to 19V	21-40V	19V (1-60A) NEW		1A 2A 3A	Aluminum S	44*25*22MM,45g/pc
				5A	ABS Plastic M	46*32*18MM,50g/pc
				10A 15A 20A	75Silver	75*73*27MM,260g/pc
				35A 40A	101 Silver	101*78*36MM, 510g/pc
				50A 60A	124 Silver	124*104*42MM, 960g/pc
36V 48V to 19V	30-60V	19V (1-60A) NEW		1A	ABS Plastic S	46*27*14MM,35g/pc
				2A	ABS Plastic M	46*32*18MM,50g/pc
				4A 6A	ABS Plastic L	58*40.5*22MM,97g/pc
				10A 15A 20A	75Silver	75*73*27MM,260g/pc
				25A 30A 40A	101 Silver	101*78*36MM, 510g/pc
				55A 65A	124 Silver	124*104*42MM, 960g/pc
22-90V to 19V	22-90V	19V (1-22A)		1A 1.5A	ABS Plastic M	46*32*18MM,50g/pc
				3A 5A	ABS Plastic L	58*40.5*22MM,97g/pc
				8A 12A 15A	Aluminum L	74*74*32MM,260g/pc
				18A 20A 22A	Aluminum XL	100*80*39MM,550g/pc
DC-DC Buck 24v						
36V 48V to 24V	30-60V	24V (1-65A)		1A 1.5A / Reverse Protection	ABS Plastic M	46*32*18MM,50g/pc
				2A 3A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 8A 10A 15A 20A	Aluminum L	74*74*32MM,260g/pc
	40-60V			25A 30A 33A	Aluminum XL	100*80*39MM,550g/pc
				40A	Aluminum PM	150*127*63MM,1.6kg/pc
				50A 60A	Aluminum PL	220*127*63MM,2.3KG/pc
New item	30A 40A 40A ACC	101 Silver	101*78*36MM, 510g/pc			
	50A 50A ACC 65A 65A ACC	124 Silver	124*104*42MM, 960g/pc			
60V to 24V	30-72V	24V (1-28A)		1A 1.5A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				3A 5A 10A 15A	Aluminum L	74*74*32MM,260g/pc
				20A 25A 28A	Aluminum XL	100*80*39MM,550g/pc

30-90V to 24V	30-90V	24V (1-22A)		1A 1.5A	ABS Plastic M	46*32*18MM,50g/pc
		NEW		3A 5A	ABS Plastic L	58*40.5*22MM,97g/pc
				8A 12A 15A	Aluminum L	74*74*32MM,260g/pc
				18A 20A 22A	Aluminum XL	100*80*39MM,550g/pc
DC-DC Buck 36v 48v						
48v to 36v	40-60v	36v(3-60A) NEW Item		3A 6A	ABS Plastic L	58*40.5*22MM,97g/pc
		10A 15A		Aluminum L	74*74*32MM,260g/pc	
		20A 27A		Aluminum XL	100*80*39MM,550g/pc	
		40A 40A ACC		101 Silver	101*78*36MM, 510g/pc	
				50A 50A ACC 60A 60A ACC	124 Silver	124*104*42MM, 960g/pc
60v to 36v	40-75v	36v(3-55A) NEW Item		3A 5A	ABS Plastic L	58*40.5*22MM,97g/pc
		8A 13A		Aluminum L	74*74*32MM,260g/pc	
		18A 25A		Aluminum XL	101*78*36MM, 510g/pc	
		30A 30A ACC		101 Silver	101*78*36MM, 510g/pc	
				45A 45A ACC 55A 55A ACC	124 Silver	124*104*42MM, 960g/pc
40-90V to 36V	40-90v	36v (1-20A)		1A 3A	ABS Plastic L	58*40.5*22MM,97g/pc
				6A 8A 10A 12A	Aluminum L	74*74*32MM,260g/pc
				14A 16A 18A 20A	Aluminum XL	101*78*36MM, 510g/pc
52-90V to 48V	52-90V	48V (1-20A)		1A 2A	ABS Plastic L	58*40.5*22MM,97g/pc
				4A 6A 10A	Aluminum L	74*74*32MM,260g/pc
				13A 16A 18A 20A	Aluminum XL	101*78*36MM, 510g/pc
AC-DC Buck						
AC 24V to DC 5V	AC18-28V,DC8-40V	5V (1-5A)		1A 2A 3A /DC / USB optional	ABS Plastic M	46*32*18MM,50g/pc
				5A/ DC optional	ABS Plastic L	58*40.5*22MM,97g/pc
AC 24V to DC 12V	AC18-28V,DC15-40V	12V (1-5A)		1A 2A 3A /DC optional	ABS Plastic M	46*32*18MM,50g/pc
				5A/ DC optional		
AC 24V to DC 24V	AC22-28V,DC26-40V	24V 1A		1A/DC optional	ABS Plastic L	58*40.5*22MM,97g/pc
DC-DC Buck with USB /DC/Car Charger						

1224V to 5v QC3.0	8-36V	5V 3A/ (NEW)		3A USB, Car chager optional	ABS Plastic S	46*32*18MM,40-70g/pc
15-90V to 5v QC3.0	15-90V	5V 3A/ (NEW)		3A USB, Car chager optional	ABS Plastic M	46*32*18MM,58-100g/pc
12V to 5V	8-23V	5V 3A/ 5A		3A USB, Car chager optional	ABS Plastic S	46*27*14MM,40g/pc
8-85V to 5V	8-85V	5V 3A		3A USB, Car chager optional	ABS Plastic M	46*32*18MM,60g/pc
12V 24V to 5V	8-40V	5V (1-5A)		3A 5A USB, Car chager optional 1A 2A 3A 5A /DC, Car charger optional	ABS Plastic M	46*32*18MM,60g/pc
8-55V to 5V	8-55V	5V		3A USB, Car chager optional	ABS Plastic M	46*32*18MM,60g/pc
24V to 12V	15-40V	12V(1-5A)		1A 2A 3A 5A /DC, Car charger optional		

Note

Pls install according to the the label strictly,positive pole and nagative pole can't be reversed, or the module and device might be damaged

To assure this converter has the sufficient voltage and power pls make sure the voltage and power input is enough.

Most converters can't be used to charge battery because they are with costant output voltage,only the constant current converters can be used to charge battery.

During these products range,we can customizes on output voltage/current or wire/jacks as you need.

Fast delivery,12 month quality warranty.